

SAFETY DATA SHEET **CLEENOL EVOLUTION X2 BATH & WASHROOM CLEANER**

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	CLEENOL EVOLUTION X2 BATH & WASHROOM CLEANER	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	Cleaning agent.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
1.4. Emergency telephone nur	nber	
Emergency telephone	Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 Elicitation - EUH208 STOT SE 3 - H335	
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	
Classification (67/548/EEC or 1999/45/EC)	Xn;R22. Xi;R37/38,R41. R52/53.	
2.2. Label elements		
Pictogram		
Signal word	Danger	

Hazard statements	H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains d-LIMONENE. May produce an allergic reaction.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves. P280 Wear eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P312 Call a POISON CENTER/ doctor if you feel unwell. P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations.
Contains	CITRIC ACID, FATTY ALCOHOL ETHOXYLATE, BENZALKONIUM CHLORIDE
Supplementary precautionary statements	 P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.
2.3. Other hazards	
Other Hazards	None

SECTION 3: Composition/information on ingredients

3.2. Mixtures			
CITRIC ACID			10-30%
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01211945702642XXXX	
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R36/37/3	38.	
Eye Irrit. 2 - H319			
STOT SE 3 - H335			
FATTY ALCOHOL ETHOXYLATE			10-30%
CAS number: 160901-19-9			
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R22. Xi;	R41.	
Eye Dam. 1 - H318			

BENZALKONIUM CHLORIDE		5-10%
CAS number: 68424-85-1		
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn;R21/22. C;R34. N;R50.	
d-LIMONENE		<1%
CAS number: 5989-27-5	EC number: 227-813-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) R10 R43 Xi;R38 N;R50/53	
CITRAL		<1%
CAS number: 5392-40-5	EC number: 226-394-6	
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317	Classification (67/548/EEC or 1999/45/EC) R43 Xi;R38	
BRONOPOL (INN)		<1%
CAS number: 52-51-7	EC number: 200-143-0	
M factor (Acute) = 10		
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) Xn;R21/22 Xi;R37/38,R41 N;R50	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.	
4.2. Most important symptoms	and effects, both acute and delayed	
Inhalation	May be harmful if inhaled.	
Ingestion	May be harmful if swallowed.	
Skin contact	May be harmful in contact with skin.	
Eye contact	May cause serious eye damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Avoid or minimise the creation of any environmental contamination.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.4. Reference to other sections		
Reference to other sections	See section 3,8 & 13 for further information	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.	

7.2. Conditions for safe storage, including any incompatibilities

9.1. Information on basic phys	ical and chemical properties
SECTION 9: Physical and Che	emical Properties
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles or face shield.
Appropriate engineering controls	Not relevant.
Ingredient comm 8.2. Exposure controls Protective equipment	
Ingredient comments	WEL = Workplace Exposure Limits CITRIC ACID (CAS: 77-92-9)
Long-term exposure limit (8-he Short-term exposure limit (15-	minute): 10 mg/m ³
8.1. Control parameters Occupational exposure limits CITRIC ACID	
SECTION 8: Exposure Contro	ls/personal protection
SHELF LIFE OF DILUTION 12 MONTHS	
7.3. Specific end use(s) Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Storage class	Chemical storage.
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

Appearance	Liquid.
Colour	Blue.

Odour	Characteristic.
рН	0-2
Initial boiling point and range	100°C @ 760 mm Hg
Relative density	1.086 @ 20°C
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
<u>Acute toxicity - oral</u> ATE oral (mg/kg)	2,500.0
Acute toxicity - dermal ATE dermal (mg/kg)	22,000.0
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed.
Skin contact	May cause sensitisation by skin contact.
Eye contact	Risk of serious damage to eyes.
SECTION 12: Ecological Information	
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degrada	bility
Persistence and degradability	
12.3. Bioaccumulative potentia	I
Bioaccumulative potential	- No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	The product is soluble in water.
12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal conside	erations
13.1. Waste treatment methods	S
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	ation
14.1. UN number	
UN No. (ADR/RID)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760
UN No. (ADN)	1760
14.2. UN proper shipping name	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, N.O.S. CONTAINS BENZALKONIUM CHLORIDE
Proper shipping name (IMDG)	CORROSIVE LIQUID, N.O.S.
Proper shipping name (ICAO)	CORROSIVE LIQUID, N.O.S.
Proper shipping name (ADN)	CORROSIVE LIQUID, N.O.S.
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	8
ADR/RID classification code	C9
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group	
ADR/RID packing group	III
IMDG packing group	III
ADN packing group	ш
ICAO packing group	III
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant No.	
14.6. Special precautions for user	
EmS	F-A, S-B
ADR transport category	3
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	
SECTION 15: Regulatory information	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).	
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).	
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations Approved Classification and Labelling Guide (Sixth edition) L131.	

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	07/06/2017
Revision	10
Supersedes date	05/05/2017

SDS number	X2N2
Risk phrases in full	 R10 Flammable. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36/37/38 Irritating to eyes, respiratory system and skin. R37/38 Irritating to respiratory system and skin. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R50 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Hazard statements in full	 H226 Flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains d-LIMONENE. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.