

## SAFETY DATA SHEET CLEENOL EVOLUTION 1000 PERFUMED FLOOR CLEANER CONCENTRATE

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	CLEENOL EVOLUTION 1000 PERFUMED FLOOR CLEANER CONCENTRATE	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Cleaning agent.	
1.3. Details of the supplier of	of the safety data sheet	
Supplier Manufacturer	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
1.4. Emergency telephone	number	
Emergency telephone	Poisons Information Specialist National Poisons Information Service Birmingham B18 7QH Tel: 0121 507 5122	
SECTION 2: Hazards identi	ification	
2.1. Classification of the sul	ostance or mixture	
Classification Physical hazards	Flam. Liq. 3 - H226	
Health hazards	Acute Tox. 4 - H302 Eye Dam. 1 - H318 Elicitation (Skin Sens.)	
Environmental hazards	Not Classified	

Classification (67/548/EEC or Xn;R22. Xi;R41. R10. 1999/45/EC)

Human health	Vapours and spray/mists in high concentrations are narcotic. Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Nausea, vomiting.
Environmental	The product is not expected to be hazardous to the environment.
Physicochemical	The product is flammable. Heating may generate flammable vapours.
2.2. Label elements	
Pictogram	
Signal word	Danger
Hazard statements	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H318 Causes serious eye damage. EUH208 Contains BENZYL SALYCILATE, HEXYL CINNAMAL. May produce an allergic reaction.
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water/shower.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> <li>P501 Dispose of contents/container in accordance with national regulations.</li> <li>P280 Wear eye protection.</li> <li>P280 Wear protective gloves.</li> </ul>
	P310 Immediately call a POISON CENTER/doctor.
Contains	FATTY ALCOHOL ETHOXYLATE
Supplementary precautionary statements	P403+P235 Store in a well-ventilated place. Keep cool.
2.3. Other hazards	
Other Hazards	None
SECTION 3: Composition/infor	mation on ingredients
3.2. Mixtures	
FATTY ALCOHOL ETHOXYL CAS number: 160901-19-9	ATE 30-60%
<b>Classification</b> Eye Dam. 1 - H318 Acute Tox. 4 - H302	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22. Xi;R41.

PROPAN-2-OL		10-30
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-0000
Classification	Classificati	ion (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11 Xi;R	36 R67
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
STOT SE 3 - H336		
BENZYL SALYCILATE		<1'
CAS number: 118-58-1		
Classification	Classificati	ion (67/548/EEC or 1999/45/EC)
Skin Sens. 1 - H317	N;R51/53.	R43.
Aquatic Chronic 2 - H411		
HEXYL CINNAMAL		<1'
CAS number: 101-86-0		
Classification		ion (67/548/EEC or 1999/45/EC)
Skin Sens. 1 - H317	R43.	
BRONOPOL (INN)		<1
CAS number: 52-51-7	EC number: 200-143-0	
M factor (Acute) = 10		
Classification	Classificati	
Acute Tox. 4 - H302		ion (67/548/EEC or 1999/45/EC) Xi;R37/38,R41 N;R50
Acute Tox. 4 - H302 Acute Tox. 4 - H312	×11,R21/22	XI, X37730, IX4 F IN, IX30
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures	

### 4.1. Description of first aid measures

General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.
Inhalation	Place unconscious person on their side in the recovery position and ensure breathing can take place. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.

Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Skin contact	Immediately remove contaminated clothing. Rinse immediately with plenty of water. Remove contaminated clothing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.
4.3. Indication of any immedia	te medical attention and special treatment needed
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemicals, sand, dolomite etc. Do not use water, if avoidable.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	The product is flammable. Heating may generate flammable vapours. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Keep combustible materials away from spillage. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.
6.4. Reference to other section	ns
Reference to other sections	See section 3,8 & 13 for further information
SECTION 7: Handling and sto	rage

### 7.1. Precautions for safe handling

7.1. Precautions for sale har	iaing
Usage precautions	Keep away from heat, sparks and open flame. Do not wear contact lenses. Avoid spilling. Avoid contact with skin and eyes. Eye wash facilities and emergency shower must be available when handling this product. During application and drying, solvent vapours will be emitted.
7.2. Conditions for safe stora	age, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry and cool place. Store under well-ventilated conditions at a temperature below 25°C.
Storage class	Flammable liquid storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Cont	rols/personal protection
	- hour TWA): WEL 400 ppm  999 mg/m³ 5-minute):  WEL 500 ppm  1250 mg/m³
Ingredient comments	WEL = Workplace Exposure Limits
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Not relevant.
Eye/face protection	Contact lenses should not be worn when working with this chemical. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Provide eyewash station and safety shower.
Hygiene measures	Provide eyewash station. Wash promptly if skin becomes contaminated. Promptly remove non-impervious clothing that becomes contaminated. When using do not eat, drink or smoke.
SECTION 9: Physical and C	hemical Properties
9.1. Information on basic phy	ysical and chemical properties
Appearance	Coloured liquid.

Appearance	Coloured liquid.
Colour	Orange.
рН	6-8
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	40°C CC (Closed cup).

Relative density	1.003 @ 20°C		
9.2. Other information			
Other information	None.		
SECTION 10: Stability and rea	activity		
10.1. Reactivity			
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.		
10.2. Chemical stability			
Stability	No particular stability concerns.		
10.3. Possibility of hazardous	reactions		
Possibility of hazardous reactions	None known.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Acids. Oxidising agents.		
10.5. Incompatible materials			
Materials to avoid	Keep away from oxidising materials, heat and flames.		
10.6. Hazardous decomposition	on products		
Hazardous decomposition products	Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3.		
SECTION 11: Toxicological information			
SECTION 11: Toxicological in	formation		
SECTION 11: Toxicological in 11.1. Information on toxicolog			
11.1. Information on toxicolog Acute toxicity - oral	ical effects		
11.1. Information on toxicolog			
11.1. Information on toxicolog Acute toxicity - oral	ical effects		
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg)	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following		
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg) Inhalation	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.		
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg) Inhalation Ingestion	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach.		
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg) Inhalation Ingestion Skin contact	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.		
11.1. Information on toxicolog         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Information	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.		
11.1. Information on toxicolog         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Infor         Ecotoxicity	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.		
11.1. Information on toxicolog         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Infor         Ecotoxicity         12.1. Toxicity	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. mation The product is not expected to be hazardous to the environment.		
11.1. Information on toxicolog         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Infor         Ecotoxicity         12.1. Toxicity         Toxicity	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. mation The product is not expected to be hazardous to the environment. The product is not believed to present a hazard due to its physical nature.		
11.1. Information on toxicolog         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Infor         Ecotoxicity         12.1. Toxicity         Toxicity         12.2. Persistence and degrad	ical effects 1,250.0 Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing. Gastrointestinal symptoms, including upset stomach. Repeated exposure may cause skin dryness or cracking. Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. The product is not expected to be hazardous to the environment. The product is not believed to present a hazard due to its physical nature. ability		
11.1. Information on toxicolog         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Infor         Ecotoxicity         12.1. Toxicity         Toxicity         12.2. Persistence and degrad	ical effects         1,250.0         Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.         Gastrointestinal symptoms, including upset stomach.         Repeated exposure may cause skin dryness or cracking.         Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.         mation         The product is not expected to be hazardous to the environment.         The product is not believed to present a hazard due to its physical nature.         ability         r The product is biodegradable.		

### 12.4. Mobility in soil

Mobility

The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment 12.6. Other adverse effects Other adverse effects None known. SECTION 13: Disposal considerations 13.1. Waste treatment methods **General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. **Disposal methods** Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor. Containers should be thoroughly emptied before disposal because of the risk of an explosion. **SECTION 14: Transport information** 14.1. UN number UN No. (ADR/RID) 1993

UN No. (IMDG)	1993			
UN No. (ICAO)	1993			
14.2. UN proper shipping name	14.2. UN proper shipping name			
Proper shipping name (ADR/RID)	FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)			
Proper shipping name (IMDG)	FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)			
Proper shipping name (ICAO)	FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)			
Proper shipping name (ADN)	FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)			
14.3 Transport hazard class(es)				

es)
3
3
3

3

ICAO class/division	
---------------------	--

### Transport labels



14.4. Packing group	
ADR/RID packing group	
IMDG packing group	
ICAO packing group	Ш

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS F-E, S-E

Emergency Action Code 3Y

Hazard Identification Number 30 (ADR/RID)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). EH40/2005 Workplace exposure limits.	
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).	
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations CHIP for everyone HSG228.	

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision date	27/01/2016
Revision	3
Supersedes date	29/09/2015
SDS number	N9/1000

Risk phrases in full	<ul> <li>R10 Flammable.</li> <li>R11 Highly flammable.</li> <li>R21/22 Harmful in contact with skin and if swallowed.</li> <li>R22 Harmful if swallowed.</li> <li>R36 Irritating to eyes.</li> <li>R37/38 Irritating to respiratory system and skin.</li> <li>R41 Risk of serious damage to eyes.</li> <li>R43 May cause sensitisation by skin contact.</li> <li>R50 Very toxic to aquatic organisms.</li> <li>R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R67 Vapours may cause drowsiness and dizziness.</li> </ul>
Hazard statements in full	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H226 Flammable liquid and vapour.</li> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H400 Very toxic to aquatic life.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>EUH208 Contains BENZYL SALYCILATE, HEXYL CINNAMAL. May produce an allergic reaction.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.