

# SAFETY DATA SHEET **CLEENOL EVOLUTION CONCENTRATED AIR FRESHENER**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CLEENOL EVOLUTION CONCENTRATED AIR FRESHENER **Product name** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House **Beaumont Road** Banbury

Oxon OX16 1RB

IJK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

Manufacturer Cleenol Group Ltd

> Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

1.4. Emergency telephone number

**Emergency telephone** Poisons Information Specialist

National Poisons Information Service

Birmingham **B187QH** 

Tel: 0121 507 5122

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification

Physical hazards Flam. Liq. 3 - H226

Health hazards Acute Tox. 4 - H302 Eye Dam. 1 - H318 Elicitation (Skin Sens.)

**Environmental hazards** Not Classified

Classification (67/548/EEC or Xn;R22. Xi;R41. R10.

1999/45/EC)

Human health Vapours and spray/mists in high concentrations are narcotic. Symptoms following

overexposure may include the following: Headache. Fatigue. Dizziness. Nausea, vomiting.

**Environmental** The product is not expected to be hazardous to the environment.

**Physicochemical** The product is flammable. Heating may generate flammable vapours.

#### 2.2. Label elements

#### **Pictogram**







#### Signal word

#### Danger

#### Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

EUH208 Contains BENZYL SALYCILATE, HEXYL CINNAMAL. May produce an allergic

reaction.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P264 Wash contaminated skin thoroughly after handling.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national regulations.

P280 Wear eye protection. P280 Wear protective gloves.

P310 Immediately call a POISON CENTER/doctor.

#### **Contains** FATTY ALCOHOL ETHOXYLATE

statements

Supplementary precautionary P403+P235 Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

Other Hazards None

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## **FATTY ALCOHOL ETHOXYLATE**

30-60%

CAS number: 160901-19-9

Classification

Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xn;R22. Xi;R41.

Acute Tox. 4 - H302

PROPAN-2-OL 10-30% CAS number: 67-63-0 EC number: 200-661-7 REACH registration number: 01-

2119457558-25-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F;R11 Xi;R36 R67

Eye Irrit. 2 - H319 STOT SE 3 - H336 STOT SE 3 - H336

**BENZYL SALYCILATE** <1%

CAS number: 118-58-1

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Sens. 1 - H317 N;R51/53. R43.

Aquatic Chronic 2 - H411

**HEXYL CINNAMAL** <1%

CAS number: 101-86-0

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Sens. 1 - H317 R43.

**BRONOPOL (INN)** <1%

EC number: 200-143-0 CAS number: 52-51-7

M factor (Acute) = 10

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R21/22 Xi;R37/38,R41 N;R50

Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335

STOT SE 3 - H335 Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

The data shown are in accordance with the latest EC Directives. Composition comments

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Never give anything by mouth to an unconscious person. Get medical attention if

any discomfort continues.

Inhalation Place unconscious person on their side in the recovery position and ensure breathing can

take place. When breathing is difficult, properly trained personnel may assist affected person

by administering oxygen. Get medical attention if any discomfort continues.

Revision date: 27/01/2016 Revision: 12 Supersedes date: 29/09/2015

#### CLEENOL EVOLUTION CONCENTRATED AIR FRESHENER

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if

> readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical

attention immediately. Show this Safety Data Sheet to the medical personnel.

Skin contact Immediately remove contaminated clothing. Rinse immediately with plenty of water. Remove

contaminated clothing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation Gas or vapour in high concentrations may irritate the respiratory system.

Ingestion Gastrointestinal symptoms, including upset stomach.

Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Alcohol-resistant foam. Carbon dioxide (CO2). Dry

chemicals, sand, dolomite etc. Do not use water, if avoidable.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards The product is flammable. Heating may generate flammable vapours. Thermal decomposition

or combustion products may include the following substances: Toxic gases or vapours.

#### 5.3. Advice for firefighters

for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the

> Environmental Agency or other appropriate regulatory body. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and

contaminated materials and remove from the area as soon as possible.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Keep combustible materials away from spillage. Absorb in vermiculite, dry sand or earth and

place into containers. Flush contaminated area with plenty of water. Wash thoroughly after

dealing with a spillage.

## 6.4. Reference to other sections

See section 3,8 & 13 for further information Reference to other sections

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Do not wear contact lenses. Avoid spilling.

Avoid contact with skin and eyes. Eye wash facilities and emergency shower must be available when handling this product. During application and drying, solvent vapours will be

emitted.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Store under well-ventilated

conditions at a temperature below 25°C.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit

**Ingredient comments** WEL = Workplace Exposure Limits

#### 8.2. Exposure controls

## Protective equipment





Appropriate engineering

controls

Not relevant.

**Eye/face protection**Contact lenses should not be worn when working with this chemical. The following protection

should be worn: Chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact. Provide eyewash station and safety shower.

Hygiene measures Provide eyewash station. Wash promptly if skin becomes contaminated. Promptly remove

non-impervious clothing that becomes contaminated. When using do not eat, drink or smoke.

## SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

**Appearance** Coloured liquid.

Colour Orange.
pH 6-8

Initial boiling point and range 100°C @ 760 mm Hg

Flash point 40°C CC (Closed cup).

Revision date: 27/01/2016 Revision: 12 Supersedes date: 29/09/2015

#### CLEENOL EVOLUTION CONCENTRATED AIR FRESHENER

Relative density 1.003 @ 20°C

9.2. Other information

Other information None.

#### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

**Stability** No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

products

10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition. Avoid contact with the following materials:

Acids. Oxidising agents.

10.5. Incompatible materials

Materials to avoid Keep away from oxidising materials, heat and flames.

10.6. Hazardous decomposition products

Hazardous decomposition

Oxides of carbon. Protection against nuisance dust must be used when the airborne

concentration exceeds 10 mg/m3.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 1,250.0

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

**Ingestion** Gastrointestinal symptoms, including upset stomach.

**Skin contact** Repeated exposure may cause skin dryness or cracking.

**Eye contact** Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

## SECTION 12: Ecological Information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

## 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

#### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects None known.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a

licensed waste disposal contractor. Containers should be thoroughly emptied before disposal

because of the risk of an explosion.

#### SECTION 14: Transport information

#### 14.1. UN number

**UN No. (ADR/RID)** 1993

**UN No. (IMDG)** 1993

**UN No. (ICAO)** 1993

## 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)

Proper shipping name

(IMDG)

FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S (ISOPROPYL ALCOHOL)

## 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID label 3

IMDG class 3

ICAO class/division 3

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-E

Emergency Action Code 3Y

Hazard Identification Number 30

(ADR/RID)

(אטועוגוט)

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Safety Data Sheets for Substances and Preparations

CHIP for everyone HSG228.

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision date 27/01/2016

Revision 12

Supersedes date 29/09/2015

SDS number N1 (Code No. EV7)

Risk phrases in full R10 Flammable.

R11 Highly flammable.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed. R36 Irritating to eyes.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment

R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains BENZYL SALYCILATE, HEXYL CINNAMAL. May produce an allergic

reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.