

# SAFETY DATA SHEET CLEENOL EVOLUTION CONCENTRATED ANTIBACTERIAL POT WASH DETERGENT

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CLEENOL EVOLUTION CONCENTRATED ANTIBACTERIAL POT WASH DETERGENT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

Manufacturer Cleenol Group Ltd

Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone Poisons Information Specialist

National Poisons Information Service

Birmingham B18 7QH

Tel: 0121 507 5122

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

Classification (67/548/EEC or Xi;R38,R41.

1999/45/EC)

#### 2.2. Label elements

#### **Pictogram**





Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** P264 Wash contaminated skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves. P280 Wear eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national regulations.

Contains BENZALKONIUM CHLORIDE, COCOAMIDE DEA, FATTY ALCOHOL ETHOXYLATE

Supplementary precautionary

statements

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

2.3. Other hazards

Other Hazards None

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

COCOAMIDE DEA 10-30%

CAS number: 68603-42-9 REACH registration number: 01-

2119490100-53-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41.

Eye Dam. 1 - H318

#### **FATTY ALCOHOL ETHOXYLATE**

10-30%

CAS number: 160901-19-9

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xn;R22. Xi;R41.

Acute Tox. 4 - H302

Revision date: 22/01/2016 Revision: 9 Supersedes date: 29/09/2015

# CLEENOL EVOLUTION CONCENTRATED ANTIBACTERIAL POT WASH DETERGENT

BENZALKONIUM CHLORIDE 5-10%

CAS number: 68424-85-1

M factor (Acute) = 10 M factor (Chronic) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 Xn;R21/22. C;R34. N;R50.

Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

# DIDECYL DIMETHYLAMMONIUM CHLORIDE

<1%

CAS number: 7173-51-5 EC number: 230-525-2

M factor (Acute) = 10

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1B - H314 C;R34 Xn;R22

Acute Tox. 4 - H302 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation** Rinse nose and mouth with water. Get medical attention if any discomfort continues.

**Ingestion** Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** May cause respiratory irritation.

**Ingestion** May cause irritation.

Skin contact May cause skin irritation.

Eye contact May cause eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Burning may produce irritating, toxic and obnoxious fumes.

Oxides of Carbon, Nitrogen and Sulphur.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

# 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

#### 6.4. Reference to other sections

Reference to other sections See section 3,8 & 13 for further information

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in Storage precautions

the original container.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

Ingredient comments WEL = Workplace Exposure Limits

# 8.2. Exposure controls

### Protective equipment





Appropriate engineering

controls

Not relevant

Eve/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Revision date: 22/01/2016 Revision: 9 Supersedes date: 29/09/2015

# CLEENOL EVOLUTION CONCENTRATED ANTIBACTERIAL POT WASH DETERGENT

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Do not smoke in work area. Wash hands at the end of each work shift and before eating,

smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

# SECTION 9: Physical and Chemical Properties

# 9.1. Information on basic physical and chemical properties

**Appearance** Liquid.

Colour Blue. Colourless.

Odour Characteristic.

**pH** 8-10

Initial boiling point and range 100°C @ 760 mm Hg

Relative density 1.000 @ 20°C

9.2. Other information

Other information None.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity**No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

products

#### SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 4,166.66666667

Acute toxicity - dermal

ATE dermal (mg/kg) 12,087.91208791

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Liquid may irritate skin.

**Eye contact** Irritating to eyes.

# **SECTION 12: Ecological Information**

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

#### 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects None known.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

# **SECTION 14: Transport information**

### 14.1. UN number

UN No. (ADR/RID) 1760 UN No. (IMDG) 1760 UN No. (ICAO) 1760 UN No. (ADN) 1760

# 14.2. UN proper shipping name

Proper shipping name

CORROSIVE LIQUID, N.O.S. CONTAINS BENZALKONIUM CHLORIDE

(ADR/RID)

Proper shipping name

(IMDG)

CORROSIVE LIQUID, N.O.S.

.

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S.

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S.

#### 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

# Transport labels



# 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ADN packing group

ICAO packing group

#### 14.5. Environmental hazards

# Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

**EmS** F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

**Guidance** Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Safety Data Sheets for Substances and Preparations

Approved Classification and Labelling Guide (Sixth edition) L131.

# 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

# SECTION 16: Other information

Revision date 22/01/2016

Revision 9

Supersedes date 29/09/2015

SDS number N5 (Code No. EV4)

Risk phrases in full R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R34 Causes burns. R38 Irritating to skin.

R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.