

SAFETY DATA SHEET CLEENOL EVOLUTION CONCENTRATED TOILET CLEANER & DESCALER

SECTION 1: Identification of the	ne substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	CLEENOL EVOLUTION CONCENTRATED TOILET CLEANER & DESCALER	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Cleaning agent.	
1.3. Details of the supplier of the	he safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
Manufacturer	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
1.4. Emergency telephone nur	nber	
Emergency telephone	Poisons Information Specialist National Poisons Information Service Birmingham B18 7QH Tel: 0121 507 5122	
SECTION 2: Hazards identification	ation	
2.1. Classification of the subst	ance or mixture	
Classification		
Physical hazards	Not Classified	
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335	
Environmental hazards	Aquatic Acute 1 - H400	
Classification (67/548/EEC or	-	

1999/45/EC)

2.2. Label elements

Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335

Pictogram		
	₹ <u>¥</u> 2	
\vee \vee	$\mathbf{\vee}$	
Signal word	Danger	
Hazard statements	H314 Causes severe skin burns and eye dama H335 May cause respiratory irritation. H400 Very toxic to aquatic life.	age.
Precautionary statements	P264 Wash contaminated skin thoroughly after P301+P330+P331 IF SWALLOWED: Rinse ma P304+P340 IF INHALED: Remove person to fr P305+P351+P338 IF IN EYES: Rinse cautious contact lenses, if present and easy to do. Cont P310 Immediately call a POISON CENTER/do P363 Wash contaminated clothing before reus P403+P233 Store in a well-ventilated place. Ke	outh. Do NOT induce vomiting. resh air and keep comfortable for breathing. sly with water for several minutes. Remove tinue rinsing. octor. ee. eep container tightly closed.
Contains	CITRIC ACID, BIS (2-HYDROXYETHYL) OLEYL AMINE, SODIUM CUMENE SULPHONATE	
Supplementary precautionary statements	 P260 Do not breathe vapour/spray. P261 Avoid breathing vapour/spray. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P312 Call a POISON CENTER/doctor if you feel unwell. P405 Store locked up. 	
2.3. Other hazards		
Other Hazards	None	
SECTION 3: Composition/info	rmation on ingredients	
3.2. Mixtures		
CITRIC ACID		10-30%
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01211945702642XXXX
Classification Skin Irrit. 2 - H315	Classification (Xi;R36/37/38.	(67/548/EEC or 1999/45/EC)

BIS (2-HYDROXYETHYL) OLEYL AMINE		10-30%		
CAS number: 25307-17-9	EC number: 246-80	7-3		
M factor (Acute) = 10				
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400		Classification (67/54 Xn;R22. C;R34. N;F	48/EEC or 1999/45/EC) R50.	
PROPAN-2-OL				10-30%
CAS number: 67-63-0	EC number: 200-66	1-7	REACH registration number: 01 2119457558-25-0000	-
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336 STOT SE 3 - H336		Classification (67/54 F;R11 Xi;R36 R67	48/EEC or 1999/45/EC)	
SODIUM CUMENE SULPHONATE CAS number: 32073-22-6	EC number: 250-91	3-5		5-10%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335		Classification (67/54 Xi;R36/37/38.	48/EEC or 1999/45/EC)	
The Full Text for all R-Phrases and Haza	rd Statements are Dis	splayed in Section 16	j.	
SECTION 4: First aid measures				
4.1. Description of first aid measures				

Inhalation	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.	
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	May cause respiratory irritation.	
Ingestion	May be harmful if swallowed.	
Skin contact	May cause serious chemical burns to the skin.	

Eye contact	May cause serious eye damage.		
4.3. Indication of any immedia	4.3. Indication of any immediate medical attention and special treatment needed		
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment		
SECTION 5: Firefighting meas	ures		
5.1. Extinguishing media			
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.		
5.2. Special hazards arising fro	om the substance or mixture		
Specific hazards	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.		
5.3. Advice for firefighters			
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental releas	e measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.		
6.2. Environmental precaution	<u>8</u>		
Environmental precautions	Avoid or minimise the creation of any environmental contamination.		
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.		
6.4. Reference to other section			
Reference to other sections	See section 3,8 & 13 for further information		
SECTION 7: Handling and sto	rage		
7.1. Precautions for safe hand	ling		
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.		
Storage class	Corrosive storage.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Contro	ls/personal protection		
8.1. Control parameters Occupational exposure limits PROPAN-2-OL			

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³ WEL = Workplace Exposure Limit

Ingredient comments

WEL = Workplace Exposure Limits

CITRIC ACID (CAS: 77-92-9)		
Ingredient comm	ents WEL = Workplace Exposure Limits	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Not relevant.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Provide eyewash station and safety shower. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.	
Respiratory protection	Not relevant.	
SECTION 9: Physical and Che	emical Properties	
9.1. Information on basic phys	ical and chemical properties	
Appearance	Liquid.	
Colour	Blue.	
Odour	Characteristic.	
рН	2-4	
Initial boiling point and range	100°C @ 760 mm Hg	
Relative density	1.072 @ 20°C	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		

Possibility of hazardous reactions	None known.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid contact with acids.		
10.5. Incompatible materials			
Materials to avoid	None known.		
10.6. Hazardous decompositio	10.6. Hazardous decomposition products		
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Hydrogen chloride (HCI).		
SECTION 11: Toxicological int	formation		
11.1. Information on toxicologi	cal effects		
Acute toxicity - oral ATE oral (mg/kg)	2,777.7777778		
Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.		
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach.		
Skin contact	May cause serious chemical burns to the skin.		
Eye contact	Causes burns.		
SECTION 12: Ecological Information			
Ecotoxicity	Very toxic to aquatic life.		
12.1. Toxicity			
12.2. Persistence and degrada			
	The product is biodegradable.		
12.3. Bioaccumulative potentia	_		
Bioaccumulative potential	No data available on bioaccumulation.		
12.4. Mobility in soil			
Mobility	The product is soluble in water.		
12.5. Results of PBT and vPvE			
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
12.6. Other adverse effects			
Other adverse effects	Not available.		
SECTION 13: Disposal considerations			
13.1. Waste treatment method	<u>s</u>		
Disposal methods	sues new		
SECTION 14: Transport inform	nation		
44.4 LIN number			

14.1. UN number

UN No. (ADR/RID)	2735		
UN No. (IMDG)	2735		
UN No. (ICAO)	2735		
14.2. UN proper shipping name	<u>e</u>		
Proper shipping name (ADR/RID)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)		
Proper shipping name (IMDG)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)		
Proper shipping name (ICAO)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)		
Proper shipping name (ADN)	AMINES, LIQUID, CORROSIVE, N.O.S (BIS (2-HYDROXYETHYL) OLEYL AMINE)		
14.3. Transport hazard class(e	<u>s)</u>		
ADR/RID class	8		
ADR/RID label	8		
IMDG class	8		
ICAO class/division	8		
Transport labels			
B			
14.4. Packing group			
ADR/RID packing group	5(b)		
IMDG packing group	III		
ICAO packing group	III		
14.5. Environmental hazards			
Environmentally hazardous substance/marine pollutant No.			
14.6. Special precautions for u	ser		
EmS	F-A, S-B		
Emergency Action Code	2X		
Hazard Identification Number (ADR/RID)	80		
Tunnel restriction code	(E)		
14.7. Transport in bulk accordi	ng to Annex II of MARPOL73/78 and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information		
Revision date	26/01/2016	
Revision	9	
Supersedes date	28/09/2015	
SDS number	N7 (Code No. EV9)	
Risk phrases in full	 R11 Highly flammable. R20/22 Harmful by inhalation and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R36/37/38 Irritating to eyes, respiratory system and skin. R37 Irritating to respiratory system. R38 Irritating to skin. R43 May cause sensitisation by skin contact. R50 Very toxic to aquatic organisms. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R67 Vapours may cause drowsiness and dizziness. 	
Hazard statements in full	 H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. 	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.