

SAFETY DATA SHEET CLEENOL LAUNDRY BLEACH - WHITES

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | |
|---|--|
| 1.1. Product identifier | |
| Product name | CLEENOL LAUNDRY BLEACH - WHITES |
| 1.2. Relevant identified uses | of the substance or mixture and uses advised against |
| Identified uses | Cleaning agent. |
| 1.3. Details of the supplier of | the safety data sheet |
| Supplier Manufacturer | Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk |
| 1.4. Emergency telephone ne | umber |
| Emergency telephone | Poisons Information Specialist National Poisons Information Service Birmingham B18 7QH Tel: 0121 507 5122 |
| SECTION 2: Hazards identification | |
| 2.1. Classification of the subs | stance or mixture |
| Classification | |
| Physical hazards | Not Classified |
| Health hazards | Skin Corr. 1B - H314 Eye Dam. 1 - H318 |
| Environmental hazards | Not Classified |

Classification (67/548/EEC or C;R34. N;R50. R31. 1999/45/EC)

2.2. Label elements

| Pictogram | | |
|--|--|---|
| | | |
| $\mathbf{\vee}$ | | |
| Signal word | Danger | |
| Hazard statements | H314 Causes severe skin burns and ey | ve damage. |
| Precautionary statements | P301+P330+P331 IF SWALLOWED: R P310 Immediately call a POISON CEN P303+P361+P353 IF ON SKIN (or hair Rinse skin with water/shower. P304+P340 IF INHALED: Remove pers | e clothing/eye protection/face protection. tinse mouth. Do NOT induce vomiting. TER/doctor.): Take off immediately all contaminated clothing. son to fresh air and keep comfortable for breathing. cautiously with water for several minutes. Remove lo. Continue rinsing. bre reuse. |
| Supplemental label information | EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine). | |
| Contains | SODIUM HYPOCHLORITE SOLUTION, % CI ACTIVE | |
| Supplementary precautionary statements | P321 Specific treatment (see medical a | dvice on this label). |
| 2.3. Other hazards | | |
| Other Hazards | None | |
| SECTION 3: Composition/info | mation on ingredients | |
| 3.2. Mixtures | | |
| SODIUM HYPOCHLORITE S | OLUTION, % CI ACTIVE | 10% |
| CAS number: 7681-52-9 | EC number: 231-668-3 | REACH registration number: 01- 2119488154-34-XXXX |
| M factor (Acute) = 1 | | |
| Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 | | cation (67/548/EEC or 1999/45/EC) R31 N;R50 |
| The Full Text for all R-Phrases | and Hazard Statements are Displayed i | n Section 16. |

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.

| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately. | |
|---|--|--|
| Skin contact | Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing. | |
| Eye contact | Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse. | |
| 4.2. Most important symptoms | and effects, both acute and delayed | |
| Inhalation | May be harmful if inhaled. | |
| Ingestion | May be harmful if swallowed. | |
| Skin contact | May cause serious chemical burns to the skin. | |
| Eye contact | May cause serious eye damage. | |
| 4.3. Indication of any immedia | te medical attention and special treatment needed | |
| Specific treatments | Seek medical attention if irritation or symptoms persist. Symptomatic treatment | |
| SECTION 5: Firefighting meas | sures | |
| 5.1. Extinguishing media | | |
| Suitable extinguishing media | The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. | |
| 5.2. Special hazards arising fr | om the substance or mixture | |
| Specific hazards | Fire creates: Toxic gases/vapours/fumes of: Chlorine. | |
| 5.3. Advice for firefighters | | |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| SECTION 6: Accidental release | se measures | |
| 6.1. Personal precautions, pro | tective equipment and emergency procedures | |
| Personal precautions | Wear protective clothing as described in Section 8 of this safety data sheet. | |
| 6.2. Environmental precaution | <u>s</u> | |
| Environmental precautions | Avoid or minimise the creation of any environmental contamination. | |
| 6.3. Methods and material for containment and cleaning up | | |
| Methods for cleaning up | Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. | |
| 6.4. Reference to other sections | | |
| Reference to other sections | See section 3,8 & 13 for further information | |
| SECTION 7: Handling and storage | | |
| 7.1. Precautions for safe handling | | |
| Usage precautions | Avoid spilling. Avoid contact with skin and eyes. | |

7.2. Conditions for safe storage, including any incompatibilities

| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in |
|------------------------------------|---|
| the original container. | |
| Storage class | Corrosive storage. |
| 7.3. Specific end use(s) | |
| Specific end use(s) | The identified uses for this product are detailed in Section 1.2. |
| SECTION 8: Exposure Contro | ls/personal protection |
| 8.1. Control parameters | |
| Ingredient comments | WEL = Workplace Exposure Limits |
| 8.2. Exposure controls | |
| Protective equipment | |
| | |
| Eye/face protection | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. |
| Other skin and body protection | Wear appropriate clothing to prevent any possibility of skin contact. |
| Hygiene measures | Provide eyewash station and safety shower. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. |
| SECTION 9: Physical and Che | emical Properties |
| 9.1. Information on basic phys | ical and chemical properties |
| Appearance | Liquid. |
| 9.2. Other information | |
| Other information | None. |
| SECTION 10: Stability and rea | activity |
| 10.1. Reactivity | |
| Reactivity | No test data specifically related to reactivity available for this product or its ingredients. |
| 10.2. Chemical stability | |
| Stability | Stable at normal ambient temperatures. |
| 10.3. Possibility of hazardous | reactions |
| Possibility of hazardous reactions | Reaction with acids releases toxic gas, Chlorine |
| 10.4. Conditions to avoid | |
| Conditions to avoid | Avoid excessive heat for prolonged periods of time. |

CLEENOL LAUNDRY BLEACH - WHITES

| 10.5. Incompatible materials | |
|-------------------------------------|---|
| Materials to avoid | None known. |
| 10.6. Hazardous decompositi | on products |
| Hazardous decomposition products | Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). |
| SECTION 11: Toxicological in | formation |
| 11.1. Information on toxicolog | ical effects |
| Inhalation | Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. |
| Ingestion | Harmful if swallowed. May cause burns in mucous membranes, throat, oesophagus and stomach. |
| Skin contact | Causes burns. Harmful in contact with skin. |
| Eye contact | Causes burns. |
| SECTION 12: Ecological Info | mation |
| Ecotoxicity | Not regarded as dangerous for the environment. |
| 12.1. Toxicity | |
| Toxicity | The product is not believed to present a hazard due to its physical nature. |
| 12.2. Persistence and degradability | |
| Persistence and degradability | The product is biodegradable. |
| 12.3. Bioaccumulative potenti | al |
| Bioaccumulative potential | Not known. |
| 12.4. Mobility in soil | |
| Mobility | The product is soluble in water. |
| 12.5. Results of PBT and vPv | Bassessment |
| Results of PBT and vPvB assessment | This product does not contain any substances classified as PBT or vPvB. |
| 12.6. Other adverse effects | |
| Other adverse effects | None known. |
| SECTION 13: Disposal consid | derations |
| 13.1. Waste treatment method | |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. |
| SECTION 14: Transport inform | mation |
| | |
| 14.1. UN number | |
| 14.1. UN number UN No. (ADR/RID) | 1719 |
| | 1719 1719 |

14.2. UN proper shipping name

| Proper shipping name (ADR/RID) | CAUSTIC ALKALI LIQUID, N.O.S. |
|-----------------------------------|---------------------------------|
| Proper shipping name (IMDG) | CAUSTIC ALKALI LIQUID, N.O.S. |
| Proper shipping name (ICAO |) CAUSTIC ALKALI LIQUID, N.O.S. |
| Proper shipping name (ADN) | CAUSTIC ALKALI LIQUID, N.O.S. |
| 14.3. Transport hazard class(| es) |
| ADR/RID class | 8 |
| ADR/RID label | 8 |
| IMDG class | 8 |
| ICAO class/division | 8 |
| Transport labels | |



14.4. Packing group

| ADR/RID packing group | III |
|-----------------------|-----|
| IMDG packing group | III |
| ICAO packing group | III |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

| EmS | F-A, S-B |
|---|----------|
| Emergency Action Code | 2R |
| Hazard Identification Number (ADR/RID) | 80 |
| Tunnel restriction code | (E) |
| 14.7 Transport in bulk appording to Appox II of | |

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

Guidance

Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

| Revision date | 22/01/2016 |
|---------------------------|--|
| Revision | 5 |
| Supersedes date | 25/09/2015 |
| SDS number | CRSH |
| Risk phrases in full | R31 Contact with acids liberates toxic gas. R34 Causes burns. R50 Very toxic to aquatic organisms. |
| Hazard statements in full | H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H400 Very toxic to aquatic life. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.