



SAFETY DATA SHEET CLEENOL TOILET MAINTAINER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CLEENOL TOILET MAINTAINER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd
Neville House
Beaumont Road
Banbury
Oxon OX16 1RB
UK
Tel : +44 (0)1295 251721
Fax : +44 (0)1295 269561
sales@cleenol.co.uk

Manufacturer Cleenol Group Ltd
Neville House
Beaumont Road
Banbury
Oxon OX16 1RB
UK
Tel : +44 (0)1295 251721
Fax : +44 (0)1295 269561
sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone Poisons Information Specialist
National Poisons Information Service
Birmingham
B18 7QH
Tel: 0121 507 5122

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

CLEENOL TOILET MAINTAINER

Pictogram



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash contaminated skin thoroughly after handling.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Other Hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | | |
|--|---|--|
| SODIUM LAURYL ETHER SULPHATE 1-5% | | |
| CAS number: 3088-31-1 | EC number: 221-416-0 | REACH registration number: 01-2119488639-16-XXXX |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 | Classification (67/548/EEC or 1999/45/EC) Xi;R36/38. | |
| COCOAMIDE DEA 1-5% | | |
| CAS number: 68603-42-9 | REACH registration number: 01-2119490100-53-XXXX | |
| Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 | Classification (67/548/EEC or 1999/45/EC) Xi;R38,R41. | |
| BRONOPOL (INN) <1% | | |
| CAS number: 52-51-7 | EC number: 200-143-0 | |
| M factor (Acute) = 10 | | |
| Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 STOT SE 3 - H335 Aquatic Acute 1 - H400 | Classification (67/548/EEC or 1999/45/EC) Xn;R21/22 Xi;R37/38,R41 N;R50 | |

CLEENOL TOILET MAINTAINER

| | |
|---|---|
| MUSK XYLENE | <1% |
| CAS number: 81-15-2 | EC number: 201-329-4 |
| M factor (Acute) = 10 | M factor (Chronic) = 10 |
| Classification Expl. 1.1 - H201 Carc. 2 - H351 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | Classification (67/548/EEC or 1999/45/EC) E;R2 Carc. Cat. 3;R40 N;R50/53 |
| TURPENTINE, OIL | <1% |
| CAS number: 8006-64-2 | EC number: 232-350-7 |
| Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Aquatic Chronic 2 - H411 | Classification (67/548/EEC or 1999/45/EC) R10 Xn;R20/21/22,R65 R43 Xi;R36/38 N;R51/53 |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|--------------------|---|
| Ingestion | Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|-------------------------------------|
| Ingestion | May cause discomfort if swallowed. |
| Skin contact | May be slightly irritating to skin. |
| Eye contact | May cause eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|----------------------------|---|
| Specific treatments | Seek medical attention if irritation or symptoms persist. Symptomatic treatment |
|----------------------------|---|

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

| | |
|-------------------------|---|
| Specific hazards | Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur. |
|-------------------------|---|

5.3. Advice for firefighters

CLEENOL TOILET MAINTAINER

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Flush away spillage with plenty of water.

6.4. Reference to other sections

Reference to other sections See section 3,8 & 13 for further information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes. Avoid spilling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

TURPENTINE, OIL

Long-term exposure limit (8-hour TWA): WEL 100 ppm 566 mg/m³

Short-term exposure limit (15-minute): WEL 150 ppm 850 mg/m³

WEL = Workplace Exposure Limit

CITRIC ACID (CAS: 77-92-9)

Ingredient comments WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment

Hygiene measures Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Violet.

Odour Pleasant, agreeable.

CLEENOL TOILET MAINTAINER

| | |
|---------------------------------|--------------------|
| pH | 6-8 |
| Initial boiling point and range | 100@°C @ 760 mm Hg |
| Relative density | 1.02@ @ 20C°C |
| Viscosity | 500-1000 cP @ 20°C |

9.2. Other information

Volatile organic compound This product contains a maximum VOC content of NIL .

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Ingestion May cause discomfort if swallowed.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

12.4. Mobility in soil

Mobility The product is soluble in water.

CLEENOL TOILET MAINTAINER

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

Guidance Workplace Exposure Limits EH40.
CHIP for everyone HSG228.
Approved Classification and Labelling Guide (Sixth edition) L131.
Safety Data Sheets for Substances and Preparations

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

CLEENOL TOILET MAINTAINER

SECTION 16: Other information

| | |
|----------------------------------|--|
| Revision date | 26/01/2016 |
| Revision | 7 |
| Supersedes date | 25/09/2015 |
| SDS number | J14 |
| Risk phrases in full | Not classified. R10 Flammable. R20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. |
| Hazard statements in full | H201 Explosive; mass explosion hazard. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.