

# SAFETY DATA SHEET CRYSTALBRITE DESTAIN PLUS STAIN REMOVAL CONCENTRATE

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CRYSTALBRITE DESTAIN PLUS STAIN REMOVAL CONCENTRATE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

Manufacturer Cleenol Group Ltd

Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone Poisons Information Specialist

National Poisons Information Service

Birmingham B18 7QH

Tel: 0121 507 5122

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

**Health hazards** Eye Dam. 1 - H318

Environmental hazards Not Classified

Classification (67/548/EEC or Xn;R22. Xi;R41.

1999/45/EC)

#### 2.2. Label elements

### **Pictogram**



Signal word Danger

Hazard statements H318 Causes serious eye damage.

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves. P280 Wear eye protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P332+P313 If skin irritation occurs: Get medical advice/attention.

Contains HYDROGEN PEROXIDE SOLUTION

2.3. Other hazards

Other Hazards None

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

HYDROGEN PEROXIDE SOLUTION 18.0%

CAS number: 7722-84-1 EC number: 231-765-0 REACH registration number: 01-

2119485845-22-XXXX

Classification (67/548/EEC or 1999/45/EC)

Ox. Lig. 1 - H271 R5 O;R8 C;R35 Xn;R20/22

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

Revision date: 27/01/2016 Revision: 8 Supersedes date: 28/09/2015

# CRYSTALBRITE DESTAIN PLUS STAIN REMOVAL CONCENTRATE

## 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** May cause respiratory irritation.

**Ingestion** Nausea, vomiting.

**Skin contact** Prolonged skin contact may cause redness and irritation.

**Eye contact** Irritation of eyes and mucous membranes.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards Burning may produce irritating, toxic and obnoxious fumes.

Oxides of Carbon, Nitrogen and Sulphur.

### 5.3. Advice for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothing

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

# 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

#### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Chemical storage.

# 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

## Occupational exposure limits

## HYDROGEN PEROXIDE SOLUTION

Long-term exposure limit (8-hour TWA): WEL 1 ppm  $1.4 \text{ mg/m}^3$  Short-term exposure limit (15-minute): WEL 2 ppm  $2.8 \text{ mg/m}^3$ 

WEL = Workplace Exposure Limit

**Ingredient comments** WEL = Workplace Exposure Limits

### 8.2. Exposure controls

# Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational

exposure limits for the product or ingredients.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Do not smoke in work area. Wash hands at the end of each work shift and before eating,

smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove

any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

# SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

**pH** 2-4

Initial boiling point and range 100°C @ 760 mm Hg

Relative density 1.07 @ 20°C

9.2. Other information

Other information None.

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity**No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

Revision date: 27/01/2016 Revision: 8 Supersedes date: 28/09/2015

# CRYSTALBRITE DESTAIN PLUS STAIN REMOVAL CONCENTRATE

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

products

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 2,777.7777778

Acute toxicity - inhalation

ATE inhalation (gases ppm) 25,000.0

ATE inhalation (vapours mg/l) 61.11111111

ATE inhalation (dusts/mists

8.33333333

mg/l)

**Inhalation** Irritating to respiratory system.

**Ingestion** May cause discomfort if swallowed.

Skin contact Irritating to skin.

Eye contact Irritating to eyes.

# SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

# 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

# 12.6. Other adverse effects

Other adverse effects None known.

### SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

# SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

UN No. (ADR/RID) 2984

**UN No. (IMDG)** 2984

UN No. (ICAO) 2984

# 14.2. UN proper shipping name

Not applicable.

Proper shipping name

(ADR/RID)

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Proper shipping name

(IMDG)

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Proper shipping name (ICAO) HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Proper shipping name (ADN) HYDROGEN PEROXIDE, AQUEOUS SOLUTION

## 14.3. Transport hazard class(es)

No transport warning sign required.

ADR/RID class 5.1

ADR/RID label 5.1

IMDG class 5.1

ICAO class/division 5.1

# Transport labels



# 14.4. Packing group

Not applicable.

ADR/RID packing group III

IMDG packing group III

ICAO packing group

# 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

EmS F-H, S-Q

Emergency Action Code 2R

Hazard Identification Number 50

(ADR/RID)

Tunnel restriction code (E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

**Guidance** Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheets for Substances and Preparations

# 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

### SECTION 16: Other information

Revision date 27/01/2016

Revision 8

Supersedes date 28/09/2015
SDS number CBLD4

Risk phrases in full R20/22 Harmful by inhalation and if swallowed.

R22 Harmful if swallowed. R35 Causes severe burns.

R37 Irritating to respiratory system. R41 Risk of serious damage to eyes. R5 Heating may cause an explosion.

R8 Contact with combustible material may cause fire.

**Hazard statements in full** H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.