CRYSTALBRITE OXYGEN DESTAIN



CLEENOL

Compilation date: 05/04/2011 Revision date: 28/05/2015

Revision No: 2

Page: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Supplier :

Product name:CRYSTALBRITE OXYGEN DESTAINProduct code:032369

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products). For Industrial

Use Only

1.3. Details of the supplier of the safety data sheet

CLEENOL GROUP LIMITED Neville House, Beaumont Road, Banbury, Oxon OX16 1RB Tel: 01295 251721 Fax: 01295 269561 Email: sales@cleenol.co.uk

1.4. Emergency telephone number

Poisons Information Specialist National Poisons Information Service Birmingham B18 7QH Tel: 0121 507 5122

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: Xn: R22; Xi: R41

Classification under CLP: Acute Tox. 4: H302; Eye Dam. 1: H318

Most important adverse effects: Harmful if swallowed. Risk of serious damage to eyes.

2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark

CRYSTALBRITE OXYGEN DESTAIN

Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/Physician if you feel unwell.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER/doctor/Physician.

P330: Rinse mouth.

Label elements under CHIP:

Hazard symbols: Harmful.



Risk phrases:	R22: Harmful if swallowed.
	R41: Risk of serious damage to eyes.
Safety phrases:	S26: In case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice.
	S39: Wear eye / face protection.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE PEROXYHYDRATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
239-707-6	15630-89-4	O: R8; Xn: R22; Xi: R41	Ox. Liq. 3: H272; Acute Tox. 4: H302; Eye Dam. 1: H318	50-70%

SODIUM CARBONATE

207-838-8	497-19-8	Xi: R36	Eye Irrit. 2: H319	1-10%
-----------	----------	---------	--------------------	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Transfer to hospital as soon as possible.

CRYSTALBRITE OXYGEN DESTAIN

Page: 3

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust. Mark out the contaminated area with signs and prevent access to unauthorised personnel. If outside do not approach from downwind.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

CRYSTALBRITE OXYGEN DESTAIN

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in

the air. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Respiratory protective device with particle filter.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:PowderColour:WhiteOdour:Characteristic odourSolubility in water:SolublepH:11.0 @ 1%

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

CRYSTALBRITE OXYGEN DESTAIN

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE PEROXYHYDRATE

DERMAL	RBT	LD50	2000	mg/kg
GASES	RAT	LD50	4580	mg/kg
ORAL	RAT	LD50	1034	mg/kg

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	ING	Hazardous: calculated
Irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

 Skin contact:
 There may be mild irritation at the site of contact.

 Eye contact:
 There may be irritation and redness.

 Ingestion:
 There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

 Inhalation:
 Absorption through the lungs can occur causing symptoms similar to those of ingestion.

 Delayed / immediate effects:
 Immediate effects can be expected after short-term exposure.

CRYSTALBRITE OXYGEN DESTAIN

Page: 6

12.1. Toxicity

Hazardous ingredients:

SODIUM CARBONATE PEROXYHYDRATE

DAPHNIA	48H EC50	4.9	mg/l
FISH	96H LC50	70.7	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H272: May intensify fire; oxidiser.
	H302: Harmful if swallowed.

CRYSTALBRITE OXYGEN DESTAIN

Page: 7

H318: Causes serious eye damage.
H319: Causes serious eye irritation.
R8: Contact with combustible material may cause fire.
R22: Harmful if swallowed.
R36: Irritating to eyes.
R41: Risk of serious damage to eyes.
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Datasheet number: 058