# CRYSTALBRITE T FORCE LAUNDRY POWDER

Page: 1

# **CLEENOL**

Compilation date: 12/04/2011

**Revision date: 28/05/2015** 

Revision No: 3

# Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

**Product name:** CRYSTALBRITE T FORCE LAUNDRY POWDER

Product code: 032342

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products). For Industrial

Use Only

## 1.3. Details of the supplier of the safety data sheet

Supplier: CLEENOL GROUP LIMITED

Neville House, Beaumont Road, Banbury, Oxon OX16 1RB

**Tel:** 01295 251721 **Fax:** 01295 269561

Email: sales@cleenol.co.uk

#### 1.4. Emergency telephone number

Poisons Information Specialist National Poisons Information Service

Birmingham B18 7QH

Tel: 0121 507 5122

## **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R41

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Most important adverse effects: Risk of serious damage to eyes.

# 2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



# CRYSTALBRITE T FORCE LAUNDRY POWDER

Page: 2

Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/.

P321: Specific treatment (see instructions on this label).

Label elements under CHIP:

Hazard symbols: Irritant.



**Risk phrases:** R41: Risk of serious damage to eyes. **Safety phrases:** S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S39: Wear eye / face protection.

S46: If swallowed, seek medical advice immediately and show this container or label.

# 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

# Hazardous ingredients:

# SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
207-838-8	497-19-8	Xi: R36	Eye Irrit. 2: H319	10-30%

# SODIUM CARBONATE PEROXYHYDRATE

239-707-6	15630-89-4	O: R8; Xn: R22; Xi: R41	Ox. Liq. 3: H272; Acute Tox. 4: H302;	1-10%
			Eye Dam. 1: H318	

#### BENZENESULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS:

	270-115-0 6841	1-30-3 Xn: R22; Xi: R38; Xi: R4	1 -	1-10%	
--	----------------	---------------------------------	-----	-------	--

#### FATTY ALCOHOL ETHOXYLATE

-	69011-36-5	Xn: R22; Xi: R41	-	1-10%

#### CRYSTALBRITE T FORCE LAUNDRY POWDER

Page: 3

#### DISODIUM METASILICATE

229-912-9	6834-92-0	C: R34: Xi: R37	Skin Corr. 1B: H314; STOT SE 3: H335	<1%	
229-912-9	0034-92-0	C. K34, Al. K31	SKIII COII. 16. 1314, 3101 3E 3. 1333	< 170	

#### Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

# CRYSTALBRITE T FORCE LAUNDRY POWDER

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

Page: 4

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Do not create dust.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of dust in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

# 8.1. Control parameters

Workplace exposure limits: No data available.

# **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency. Respiratory

protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Powder

Colour: Off-white

Odour: Pleasant

[cont...]

# CRYSTALBRITE T FORCE LAUNDRY POWDER

Page: 5

Solubility in water: Soluble

pH: 10.5 @ 1%

#### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

### 11.1. Information on toxicological effects

# Hazardous ingredients:

## **SODIUM CARBONATE**

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

# SODIUM CARBONATE PEROXYHYDRATE

DERMAL	RBT	LD50	2000	mg/kg
GASES	RAT	LD50	4580	mg/kg
ORAL	RAT	LD50	1034	mg/kg

# CRYSTALBRITE T FORCE LAUNDRY POWDER

Page: 6

#### BENZENESULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS:

ORAL	RAT	LD50	200-2000	ma/ka
URAL	KAI	LDSU	200-2000	mg/kg

#### **DISODIUM METASILICATE**

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### **Section 12: Ecological information**

# 12.1. Toxicity

## Hazardous ingredients:

#### SODIUM CARBONATE PEROXYHYDRATE

DAPHNIA	48H EC50	4.9	mg/l
FISH	96H LC50	70.7	mg/l

# 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# CRYSTALBRITE T FORCE LAUNDRY POWDER

Page: 7

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

# **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H272: May intensify fire; oxidiser.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

R8: Contact with combustible material may cause fire.

R22: Harmful if swallowed.

R34: Causes burns.

R36: Irritating to eyes.

R37: Irritating to respiratory system.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

Datasheet number: 052