REVISION DATE 16th Feb 2015

Revision no: 2



GEMINI BIO POWDER

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

Product Name GEMINI BIO POWDER
Supplier CLEENOL GROUP LIMITED

Neville House, Beaumont Road, Banbury, Oxon OX16 1RB

Tel: 01295 251721 FAX: 01295 269561

E Mail: sales@cleenol.co.uk

Emergency Telephone Poisons Information Specialist

National Poisons Information Service

Birmingham B18 7QH Tel: 0121 507 5122

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC) No. 1272/2008

Physical: Not classified
Health: Eye Dam. 1 – H318
Environmental Not classified

2.1 Signal word Danger

<u>Hazard statement(s)</u> H318 – Causes serious eye damage

Precautionary statement(s) P280 – Wear protective gloves/protective clothing/eye protection/face protection

P305+351+338 –IF IN EYES: Rinse continuously with water for several minutes.

Remove contact lenses if present and easy to do – continue rinsing P310 – Immediately call POISON CENTER or doctor/physician

2.2 Label elements

2.2.1 Label elements

GHS Product Identifier



Hazard pictogram(s) Reach

GHS05

.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Ec No.	Cas No	Classification	Classification	Conc
			(67/548/EEC)	(EC 1272/2008)	
SODIUM CARBONATE	207-838-8	497-19-8	Xi; R36	Physical: Not classified	<20%
				Health: Eye Irrit 2 – H319	
				Environmental – Not classified	
SODIUM METASILICATE PENTAHYDRATE	229-912-9	10213-79-3	C; R34	Physical; Met Corrosive 1-	<5%
			Xi: R37	H290	
				Health; Skin Corr. 1B-H314	
				Eye Dam; 1 – H318; STOT SE3-H335	
				Environmental; Not Classified	
SODIUM PERCARBONATE	239-707-6	15630-89-4	0;R8,	Physical; OX. Sol 2-H272	5-10%
			Xn; R22	Health; Acute Tox 4-H302; Eye Damage 1- H318	
			Xi; R41	Environmental – Not classified	
AMYLASE	232-565-6	9000-90-2	R42	Physical; Not classified	<1%
				Health; Resp. Seas.1-H334	
				Environmental – Not classified	
LIPASE	232-752-2	9001-01-1	R42	Physical; Not classified	<1%
				Health; Resp. Seas.1-H334	
				Environmental – Not classified	
SUBTILISIN	232-752-2	9014-01-1	R42,	Physical; Not classified	<1%
			Xi; R37/38, R41	Health; Skin Irrit. 2-H315; Eye Dam. 1 –H318; Resp. Sens.1- H334; stot se3-H335	
				Environmental – Not classified	
SODIUM DODECEYL BENZENE	246-680-4	25155-30-0	Xn;R22,	Physical: Not classified	<3%
SULPHONATE			Xi;R38, R41	Health; Acute Tox 4-H302; Eye Damage 1- H318	
				Skin Irritation2 – H315	
				Environmental; Not Classified	
FRAGRANCE	N/A	N/A	R43	Physical; Not classified	0.04%
				Health; Skin Sens. 1-H317	
				Environmental; Chronic Cat 2 -H411	

The full text for all R-phrases is shown in Section 16. The full text for all H-phrases is shown in Section 16.

4. FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES (SYMPTOMS)

INHALATION Move exposed person to fresh air. Get medical attention

SKIN CONTACT Remove contaminated clothing immediately and wash with

soap and water. Get medical attention immediately

EYE CONTACT Immediately flush with plenty of water for up to 15 minutes.

Remove contact lenses if safe

and easy to do so,

open eyes wide apart. Get medical attention immediately. Continue to rinse.

INGESTION Get medical advice immediately! Do Not Induce Vomiting!

Immediately rinse mouth and drink plenty of water

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

GENERAL INFORMATION Symptoms described are dependent upon the concentration and

exposure time

INHALATION Possible irritation of throat, nose & airway

SKIN CONTACT Irritation to skin

EYE CONTACT Possible serious eye damage

INGESTION Irritation, possible burns to throat mouth and stomach

In all cases, if symptoms persist, seek medical advice and show this information sheet.

Note for Medical Practitioners: This information is registered with the National Poisons Information Service.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media

The preparation is not readily flammable, use fire-extinguishing media suitable for surrounding materials

5.2 SPECIAL HAZARDS ARISING

FROM THE SUBSTANCE OR MIXTURE

CK MIXTORE

EXPOSURE HAZARDS

When heated in the case of fire, harmful or toxic gases may be produced

5.3 ADVICE FOR FIRE-FIGHTERS

Special protective equipment for fire fighters

Full protective equipment including self-contained respiratory protection must be worn

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS

PROTECTIVE EQUIPMENT AND

EMERGENCY PROCEDURES

- a. The wearing of suitable protective equipment (including personal protective equipment, see section 8 of this SDS) to prevent any contamination of skin, eyes and personal clothing.
- b. Provide sufficient ventilation.
- c. Follow precautions for safe handling described in section 7 of this SDS.

6.2 ENVIRONMENTAL PRECAUTIONS

Spillages of uncontrolled discharges into watercourses must be immediately alerted to the Environmental Agency or other appropriate regulatory body, without endangering individuals every effort should be made to prevent entrance to drains.

6.3 METHODS AND MATERIAL

FOR CONTAINMENT AND CLEANING UP

Drains should be Bunded or capped to prevent entrance or damage.

Ventilate well. Brush or vacuum up taking care not to create excessive dust. Place in suitable containers. Dilute area with copious amounts of water.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid Spilling, skin and eye contact.

Do Not Smoke In Work Area! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep containers tightly closed. Keep in original containers. Do not allow product to freeze, avoid extreme temperatures

7.3 SPECIFIC END USE(S)

The identified use for this product is detailed in section 1.2.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

STD	Long Term		Notes
DNELs	10mg/m3		
DNELs	1.55mg/m3		Inhalation
WEL	TWA – 8 Hrs	STEL – 15 Min	
	0,00004 mg/m3		
	DNELs DNELs	DNELs 10mg/m3 DNELs 1.55mg/m3 WEL TWA – 8 Hrs	DNELs 10mg/m3 DNELs 1.55mg/m3 WEL TWA – 8 Hrs STEL – 15 Min

WEL= Workplace Exposure Limit

8.2 EXPOSURE CONTROLS

Provide adequate ventilation

8.3 INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT (PPE)

RESPIRATORY PROTECTION If ventilation is insufficient, suitable respiratory protection must be provided.

HAND PROTECTION PVC Gloves are recommended EYE PROTECTION Wear approved safety goggles

OTHER PROTECTION Wear Rubber Apron & Rubber Footwear

PROTECTIVE EQUIPMENT



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on the basic physical and chemical properties

APPEARANCE Granular Powder

ODOUR Pleasant

COLOUR White with coloured speckles

SOLUBILITY Soluble in water

pH 9.5-10

RELATIVE DENSITY 1.1

10. STABILITY AND REACTIVITY

10.1 REACTIVITY None known

10.2 CHEMICAL STABILITY Stable under normal conditions

& use

10.3 POSSIBILITY OF HAZARDOUS REACTIONS None known

10.4 CONDITIONS TO AVOID Avoid excessive heat for long

periods of time

10.5 INCOMPATIBLE MATERIALS

10.6 HAZARDOUS DECOMPOSTION PRODUCTS When heated toxic and corrosive vapours may be formed

11. TOXILOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

We have not carried out any animal testing; therefore we have no toxicological data specifically for this product. The toxicological data, where provided by the raw material manufacture, can be made available on request.

12. ECOLOGICAL INFORMATION

12.1 TOXICITY

We have not carried out any Aquatic testing; therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity data, where provided by the raw material manufacturer for the ingredients with aquatic toxicity can be provided on request

12.2 PERSISTENCE AND DEGRADABILITY

Degradability: the surfactants used in this preparation are designed for disposal via normal foul water disposal methods

12.3 BIOACCUMULATIVE POTENTIAL

This preparation does not contain any substance that is expected to be bioaccumlating

12.4 MOBILITY IN SOIL

Not known

12.5 RESULTS OF PBT

AND VPVB ASSESSMENT

This preparation does not contain and PBT or vPvB substances

12.6 OTHER ADVERSE EFFECTS

Not known

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

The preparation is designed for disposal via foul drain after use. Large volumes to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local waste disposal authority. Clean used container and recycle.

NB The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

14.1 UN NUMBER

Not Regulated For Transport

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC TO THE SUBSTANCE OR MIXTURE

Guidance notes: Workplace Exposure Limits EH40

EU Legislation: Safety Data sheets prepared in accordance with REACH Commission Regulation (EU) No 453/2010 and CHIP Directive1999/45/EEC Classification, Packaging & Labelling of dangerous preparations. Ingredients are listed with classification under both CHIP – Directive 67/548/EEC and GHS / CLP – Regulation (EC) No 1272/2008 classification, ADR 2013

15.2 CHEMICAL SAFETY ASSESSMENT

Not applicable this product is a mixture

.

16. OTHER INFORMATION

Safety Data Sheet No C17

REV. No. REPL. SDS	1/0
Generated	16 th February 2015
SDS No.	C17
Notes	This information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
Risk phrases in full	R8 – Contact with combustible materials may cause fire
_	R22 – Harmful if swallowed
	R34 – Causes burns
	R36/R38 – Irritating to eyes and skin
	R37 – Irritating to respiratory system
	R38 – Irritating to skin
	R41 – Risk of serious damage to eyes
	R42 – May cause sensitisation by inhalation
	R43 – May cause sensitisation by skin contact
Hazard statements in full	H272 – May intensify fire
	H290 – May be corrosive to metals
	H302 – Harmful if swallowed
	H314 – Causes severe skin burns and eye damage
	H315 – Causes skin irritation
	H318 – Causes serious eye damage
	H319 – Causes serious eye irritation
	H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled
	H335 – May cause respiratory
Supplementary	
P- Statements	

This product is only to be used for the purpose for which it was intended and in accordance with the specified instructions. This product should never be mixed with other chemical products and should be handled with care and stored carefully out of reach of children.

All Cleenol containers are recyclable and we would be pleased to provide relevant information about individual packs, and recycling agencies.

Information contained in this Safety Data Sheet is accurate to the best knowledge of Cleenol Group Ltd.

Because of our continuing desire to incorporate technical improvements and innovations, and in view of the possibility of the occasional need to substitute certain materials, Cleenol reserve the right to alter specifications without notice.

Unless otherwise stated, it is recommended that this product is used within 12 months of purchase